

Erratum



Jiedu Sangen Decoction Reverses Epithelial-tomesenchymal Transition and Inhibits Invasion and Metastasis of Colon Cancer via AKT/GSK-3β Signaling Pathway: Erratum

Li Yuan^{1*}, Kai Zhang^{2*}, Meng-Meng Zhou³, Harpreet S. Wasan⁴, Fang-Fang Tao⁵, Qing-Ying Yan¹, Guan Feng¹, Yin-Shan Tang⁶, Min-He Shen², Sheng-Lin Ma⁷, Shan-Ming Ruan^{2,7}

- 1. The First Clinical Medical College of Zhejiang Chinese Medical University, Hangzhou, 310053, Zhejiang, china
- 2. Department of Medical Oncology, The First Affiliated Hospital of Zhejiang Chinese Medical University, Hangzhou, 310006, Zhejiang, China
- 3. Department of traditional Chinese medicine, The First people's Hospital of Quzhou, 324000, Zhejiang, China
- 4. Department of Cancer Medicine, Hammersmith Hospital, İmperial College Healthcare NHS Trust, London, W12 0HS, UK
- 5. Department of Immunology and Microbiology, Basic Medical College, Zhejiang Chinese Medical University, Hangzhou, 310053, Zhejiang, China
- Department of Rehabilitation in Traditional Chinese Medicine, The Second Affiliated Hospital of Zhejiang University School of Medicine, Hangzhou, 310009, Zhejiang, China
- 7. Department of Oncology, The Forth Affiliated Hospital of Zhejiang Chinese Medical University, Hangzhou, 310006, Zhejiang, China

*These authors contributed equally to this work.

🖂 Corresponding author: Shan-Ming Ruan; Department of Medical Oncology, The First Affiliated Hospital of Zhejiang Chinese Medical University, No. 54, Youdian Road, Shangcheng District, Hangzhou, Zhejiang, China; Zip code: 310006; Email: shanmingruan@zcmu.edu.cn

© The author(s). This is an open access article distributed under the terms of the Creative Commons Attribution License (https://creativecommons.org/licenses/by/4.0/). See http://ivyspring.com/terms for full terms and conditions.

Published: 2022.12.30

Corrected article: / Cancer 2019; 10(25): 6439- 6456. doi: 10.7150/jca.32873.

Recently, we sorted out all the original data and found that several figures in our article have errors during image assembly. The corrected figures are provided below. We are very sorry for the errors caused by our negligence.




Figure 3D. Correct image.





Figure 5. Correct image.






Figure 12. Correct image.